TUNGSTEN SMART-HEAT™ PORTABLE

It's neutral black finish, and award-winning design makes it a piece of modern art. The Tungsten Smart-Heat™ Portable heater offers efficient directional heat and a versatile heating solution for the outdoor settings. It's modular construction with built-in wheels allows for easily manoeuvrability throughout tighter spaces.

ANGLED BRACKET ADJUSTABLE **HEAT CONTROLS**

SAFETY FEATURE

Anti tilt shut off

CONTOURED DESIGN

Allows for superior wind resistance

OKIABLE

For ease of movemen

MODULAR CONSTRUCTION

For simple storag



SPECIFICATIONS

Reference the specification guide below to help you select the correct solution for your needs.

MODEL NUMBER


| MODEL NUMBER | |
|-------------------------|------------------|
| FUEL TYPE | LPG |
| COLOUR | BLACK |
| HEAT AREA | 20M ² |
| MINIMUM FLOOR CLEARANCE | 1000MM |
| OUTPUT | 40MJ |
| MOUNTING OPTIONS | |
| MOUNTING OPTIONS | |
| CEILING MOUNT | - |
| WALL MOUNT | - |
| RECESSED FLUSH MOUNT | - |
| CEILING POLE MOUNT | - |
| FREESTANDING | ✓ |
| | |
| CONTROL OPTIONS | |
| ON OFF | - |
| DIMMER | - |
| MASTER REMOTE | |

Measurements displayed within this document are minimum requirements for installation. Bromic takes no responsibility for incorrect or non-compliant installations. All measurement in this document are displayed in mm.

DIMENSIONS

With a wide range of sizes available, find the ideal heater to suit your outdoor space.

PROFILE




CLEARANCE


With a wide array of mounting options, Bromic offers solutions to compliment any décor and provide functionality for ambiance and comfort.

CEILING & WALL CLEARANCE

.



.



HEATING REACH

Creating ideal comfort levels, Bromic heaters offer a variety of heat distribution options to suit your outdoor heating needs.

HEAT AREAS

TUNGSTEN PORTABLE HEATING APPORXIMATELY 20 m² 40MJ HEATING POWER

